

GEHM AD 3 HELIPORT DATA

GEHM AD 3.1 HELIPORT LOCATION INDICATOR AND NAME

GEHM - MELILLA

GEHM AD 3.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	HRP	351807N 0025640W. See AD 3-GEHM HELC.
2	Distance and direction from the city	1 km NE.
3	Elevation	73 m / 239 ft.
4	Geoid undulation	47 m ± 0.15 m (1).
5	Reference temperature	29°C.
6	Magnetic variation	0° (2020).
7	Annual change	9.0'E.
8	Heliport administration	Ejército de Tierra.
9	Address	Helipuerto militar de Melilla. Campo Exterior del Monte María Cristina, s/n - 52001 Melilla.
10	TEL	+34-952 699 847
11	FAX	+34-952 699 847
12	AFTN	No.
13	E-mail	No
14	Approved traffic	IFR/VFR. Exclusive military use.
15	Remarks	(1) For all HLP points.

GEHM AD 3.3 OPERATIONAL HOURS

1	Heliport	MON-THU: V: 0545-1300; I: 0645-1400; FRI and days before public HOL: V: 0545-1200; I: 0645-1300; O/T, SAT, SUN and HOL: O/R.
2	Customs and Immigration	No.
3	Health and Sanitation	No.
4	AIS/ARO/OPV	HR HLP.
5	MET briefing	HR HLP.
6	ATS	HR HLP.
7	Fuelling	HR HLP.
8	Handling	HR HLP.

9	Security	H24.
10	De-icing	No.
11	Remarks	None.

GEHM AD 3.4 HANDLING SERVICES AND FACILITIES

1	Cargo facilities	Forklift of 2500 Kg.
2	Fuel types	JP-8.
3	Oil types	No.
4	Refuelling capacity	Fixed tank 50000 L; 5.8 L/s. Fixed tank 30000 L; 5.8 L/s.
5	De-Icing facilities	No.
6	Hangar space	No.
7	Repair facilities	No.
8	Remarks	None.

GEHM AD 3.5 PASSENGER FACILITIES

1	Hotels	No.
2	Restaurant	No.
3	Transportation	No.
4	Medical facilities	No.
5	Bank/Post Office	No.
6	Tourist information	No.
7	Remarks	Waiting room.

GEHM AD 3.6 RESCUE AND FIREFIGHTING SERVICES

1	Fire category	H-3.
2	Rescue equipment	In accordance with the fire category.
3	Removal of disabled helicopters	No.
4	Remarks	None.

GEHM AD 3.7 SEASONAL AVAILABILITY - CLEARING

1	Equipment	No.
2	Priority	No.
3	Remarks	None.

GEHM AD 3.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron	Surface: Concrete. Strength: Information not available.
2	Stands	Surface: Concrete. Strength: Information not available.
3	Taxiways	Width: 9.7 m. Surface: Concrete. Strength: Information not available.
4	Check locations	Altimeter: No. VOR: No. INS: No.
5	Remarks	None.

GEHM AD 3.9 MARKINGS AND MARKERS

1	Final approach markings	Aiming point.
2	Take-off markings	Edge designator.
3	TWY markings	Edge and centre line.
4	TWY markers	No.
5	Air Transit Route markers	No.
6	Remarks	None.

GEHM AD 3.10 HELIPORT OBSTACLES

10.1 IN APPROACH AND TAKE-OFF AREAS

Area	Obstruction	Coordinates
12	Antenna 61 m / 200 ft	351825.8N 0025719.8W
	Antenna 61 m / 200 ft	351809.6N 0025658.8W
30	Waste incinerator 34 m / 113 ft	351805.4N 0025630.0W
Remarks:	None.	

10.2 IN CIRCLING AREA AND AT HELIPORT

Obstruction	Coordinates
Antenna 92 m / 300 ft	351758.2N 0025633.7W
Antenna 92 m / 300 ft	351855.8N 0025718.6W
Antenna 92 m / 300 ft	351854.0N 0025654.6W

Obstruction	Coordinates
Antenna 92 m / 300 ft	351852.2N 0025739.0W
Remarks	None.

GEHM AD 3.11 METEOROLOGICAL INFORMATION ← PROVIDED

1	MET office	No.
2	HR	No.
3	METAR	Half-hourly.
4	TAF	No.
5	TREND	No.
6	Briefing	By telephone.
7	Flight documentation/Language	No.
8	Charts	No.
9	Supplementary equipment	Clouds and lightnings image and radar information display.
10	ATS unit served	No.
11	Additional information	Sevilla OMAe (LESV): H24; TEL: +34-954 462 030; +34-954 460 699.
12	Remarks	None.

GEHM AD 3.12 HELIPORT DATA

1	Type of heliport	Surface-level heliport.
2	TLOF	Dimensions: Circle 32 m in diameter. Initial elevation: 72.69 m / 239 ft. Surface: Concrete. Strength: 25000 Kg. Coordinates: 351807N 0025640W. Elevation: 72.69 m / 239 ft.
3	FATO	Magnetic heading: 115°-295°. Dimensions: 45 m x 45 m. Surface: Concrete. Coordinates: 351807N 0025640W. Elevation: 72.69 m / 239 ft.
4	Security zone dimensions	No.
5	Heliport CWY dimensions	No.
6	Clear sector	No.
7	Remarks	None.

GEHM AD 3.13 DECLARED DISTANCES

FATO	TODAH (m)	RTODAH (m)	LDAH (m)
12	51	51	51

FATO	TODAH (m)	RTODAH (m)	LDAH (m)
30	51	51	51

Remarks: None.

GEHM AD 3.14 APPROACH AND FATO LIGHTING

1	FATO	12
2	Approach	No.
3	VASIS	3°.
4	FATO lighting	Characteristics: No. Location: No.
5	Aiming point lighting	Characteristics: White omnidirectional. Location: Triangle of 6 lights. Distance between lights: 4 m.

1	FATO	30
2	Approach	No.
3	Distance between lights	5 m.
4	VASIS	7°.
5	FATO lighting	Characteristics: No. Location: No.
6	Aiming point lighting	Characteristics: White omnidirectional. Location: Triangle of 6 lights. Distance between lights: 4 m.
7	TLOF lighting	Characteristics: White omnidirectional. Location: Edge. Distance between lights: 12 m.
8	Remarks	None.

GEHM AD 3.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Heliport BCN	Yes.
2	WDI	At 351811N 0025640W.
3	Apron lighting	Characteristics: Blue. Location: Perimeter. Distance between lights: 23 m.
4	Secondary power supply	Engine generator which provides all the lighting systems with a maximum switch-over time (light) of 10 seconds.
5	Remarks	None.

GEHM AD 3.16 AIR TRAFFIC SERVICES AIRSPACE

1	Designation	ATZ MELILLA
---	-------------	-------------

2	Lateral limits	Circle radius 8 km centred on HRP (1)
3	Vertical limits	SFC - 3000 ft HGT (2)
4	Airspace class	-
5	Unit Language	MELILLA TWR ES/EN
6	Transition altitude	1850 m / 6000 ft
7	Hours of applicability	-
8	Remarks:	(1) Or the ground visibility, whichever is lower. (2) Or up to the clouds ceiling, whichever is lower.

GEHM AD 3.17 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service	Call sign	FREQ	HR	Remarks
TWR	Melilla HLP	123.225 MHz	HR HLP	MIL
	Melilla TWR	119.525 MHz	HR HLP	-
		257.800 MHz	HR HLP	MIL

GEHM AD 3.18 RADIO NAVIGATION AND LANDING AIDS

Facility (VAR)	ID	FREQ	HR	Coordinates	ELEV DME	Remarks
NDB (0°)	MIA	292.000 kHz	H24	351828.1N 0025719.9W	-	U/S BTN 045°/320° COV 25 NM AVBL BTN: - 320°/045° at 4000 ft AMSL.
DME	MLL	CH 121X 117.400 MHz	H24	351826.6N 0025719.5W	120 m	U/S BTN 045°/320° COV 25 NM AVBL BTN: - 320°/350° at 6000 ft AMSL or ABV; - 350°/045° at 4000 ft AMSL or ABV. COV 40 NM AVBL BTN: - 320°/360° at FL090 or ABV; - 360°/045° at 4000 ft AMSL or ABV.

GEHM AD 3.19 LOCAL HELIPORT REGULATIONS

See AD 1.1-1

NIGHT VISUAL OPERATIONS (VFR-N)

VFR-N flights are permitted.

GEHM AD 3.20 NOISE ABATEMENT PROCEDURES

No.

GEHM AD 3.21 FLIGHT PROCEDURES

No.

GEHM AD 3.22 ADDITIONAL INFORMATION

No.

GEHM AD 3.23

CHARTS RELATED TO A HELIPORT

The list of charts related to the heliport can be found on the link below:

<https://aip.enaire.es/AIP/#GEHM>

GEHM AD 3.24 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Information not available.