

LEBT AD 3 HELIPORT DATA

LEBT AD 3.1 HELIPORT LOCATION INDICATOR AND NAME

LEBT - VALENCIA/Bétera

LEBT AD 3.2 HELIPORT GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	Heliport reference point	393728N 0002820W. See AD 3-LEBT HELC.
2	Distance and direction from the city	4 km N.
3	Elevation	127 m / 416 ft.
4	Geoid undulation	50.58 m ± 0.05 m. (1).
5	Reference temperature	30°C.
6	Low average temperature	9°C.
7	Magnetic variation	1°E (2020).
8	Annual change	7.5'E.
9	HLP administration	Ejército de Tierra.
10	Address	Base de Bétera (BHELEME II). 46117 - Bétera (Valencia).
11	TEL	+34-961 606 230/201
12	FAX	+34-961 699 277
13	AFTN	LEBT
14	E-mail	No.
15	Approved traffic:	IFR/VFR. Exclusive military use.
16	Remarks:	(1) For all HLP points.

LEBT AD 3.3 OPERATIONAL HOURS

1	Heliport	MON-THU: V: 0545-1300; I: 0645-1400. FRI and day before HOL: V: 0545-1200; I: 0645-1300. O/T, SAT, SUN and HOL O/R.
2	Customs and Immigration	No.
3	Health and Sanitation	No.
4	AIS/ARO/OPV	HR HLP.
5	MET briefing	HR HLP.
6	ATS	HR HLP.
7	Fuelling	HR HLP.

8	Handling	HR HLP.
9	Security	H24.
10	De-icing	No.
11	Remarks	None.

LEBT AD 3.4 HANDLING SERVICES AND FACILITIES

1	Cargo facilities	Claws, ladders and crane.
2	Fuel types	JP-8.
3	Oil types	No.
4	Refuelling capacity	INFO NO AVBL.
5	De-icing facilities	No.
6	Hangar space	No.
7	Repair facilities	No.
8	Remarks	None.

LEBT AD 3.5 PASSENGER FACILITIES

1	Hotels	Yes.
2	Restaurant	Yes.
3	Transportation	Yes.
4	Medical facilities	First aid and ambulance.
5	Bank/Post Office	No.
6	Tourist information	No.
7	Remarks	None.

LEBT AD 3.6 RESCUE AND FIREFIGHTING SERVICES

1	Fire category	H3.
2	Rescue equipment	In accordance with the fire category published.
3	Removal of disabled helicopters	Tractor with dragging bars.
4	Remarks	None.

LEBT AD 3.7 SEASONAL AVAILABILITY - CLEARING

1	Equipment	Crane on truck vehicle.
2	Priority	RWY and movement area.

3	Remarks	None.
---	---------	-------

LEBT AD 3.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron	Surface: Asphalt. Strength: CAT A.
2	Taxiways	Width: 20 m. Surface: INFO NO AVBL. Strength: INFO NO AVBL.
3	Check locations	Altimeter: No. VOR: No. INS: No.
4	Remarks	None.

LEBT AD 3.9 MARKINGS AND MARKERS

1	Final approach markings	Maltese Cross.
2	Take-off markings	Centre line.
3	TWY markings	Centre line and runway-holding positions.
4	TWY markers	No.
5	Air Transit Route markers	No.
6	Remarks	None.

LEBT AD 3.10 HELIPORT OBSTACLES

10.1 IN APPROACH AND TAKE-OFF AREAS

Area	Obstruction	Coordinates
09	Antenna 133 m / 436 ft	393734N 0002824W
27	Building 136 m / 446 ft	393732N 0002820W
	Antenna 134 m / 440 ft	393730N 0002820W
Remarks	None.	

10.2 IN CIRCLING AREA AND AT AD

Obstruction	Coordinates
Lightningrod 154 m / 505 ft	393723N 0002821W
Remarks	None.

LEBT AD 3.11 METEOROLOGICAL INFORMATION PROVIDED

1	MET office	Bétera OMD.
2	HR	HR HLP.
3	METAR	AUTO H24, half-hourly.
4	TAF	No.
5	TREND	No.
6	Briefing	In person and by telephone.
7	Flight documentation/Language	Charts and plain language / Spanish.
8	Charts	Significant, forecasted in altitude (wind and temperature) maps.
9	Supplementary equipment	Meteorological self-service, clouds image display and radar information.
10	ATS unit served	OPV, TWR.
11	Additional information	Valencia OMAe (LEVA): H24; TEL: +34-963 690 750. Bétera OMD: HR HLP; TEL: +34-961 606 187.
12	Remarks	None.

LEBT AD 3.12 HELIPORT DATA

1	Type of heliport	Surface level.
2	TLOF	Dimensions: 23 x 23 m. Maltese Cross. Initial elevation: 128 m / 420 ft. Surface: Asphalt. Strength: CAT A. Coordinates: 393728N 0002821W. Elevation: INFO NO AVBL.
3	FATO	Magnetic heading: 091°-271°. Dimensions: 275 x 30 m. Surface: Asphalt. Strength: CAT A. Coordinates: THR 09: 393728.17N 0002827.20W. THR 27: 393727.94N 0002815.67W. Elevation: THR 09: 127 m / 416 ft. THR 27: 127 m / 416 ft.
4	Security zone dimensions	INFO NO AVBL.
5	Heliport CWY dimensions	FATO 09: 30 x 30 m. FATO 27: 18 x 30 m.
6	Clear sector	INFO NO AVBL.
7	Remarks	None.

Profile

30 m

19 m

LEBT AD 3.13 DECLARED DISTANCES

FATO	TODAH (m)	RTODAH (m)	LDAH (m)
09	275	305	275
27	275	293	275

Remarks: None.

LEBT AD 3.14 APPROACH AND FATO LIGHTING

1	FATO	09
2	Approach	No.
3	APAPI	No.
1	FATO	27
2	Approach	No.
3	APAPI	No.
4	FATO lighting	Characteristics: Green/white/red/orange and red/green. Location: THR, edge, touch-down zone and end. (1)
5	Aiming point lighting	No.
6	TLOF lighting	Characteristics: Orange with different intensities. Location: Maltese Cross.
7	Remarks	(1) Variable lights intensity.

LEBT AD 3.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	Heliport BCN	No.
2	WDI	1 near ARP.
3	TWY lighting	Edge.
4	Apron lighting	Characteristics: Blue. Location: Edge.
5	Secondary power supply	No.
6	Remarks	None.

LEBT AD 3.16 AIR TRAFFIC SERVICES AIRSPACE

1	Designation	ATZ BÉTERA.
2	Lateral limits	Circle radius 5 km centred on HRP, limited to the south by CTR VALENCIA. (1)
3	Vertical limits	SFC - 1000 ft HGT (2).

4	Airspace class	D.
5	Unit Language	BÉTERA TWR. ES.
6	Transition altitude	1850 m / 6000 ft.
7	Hours of applicability	-
8	Remarks	(1) Or the ground visibility, whichever is lower. (2) Or up to the clouds ceiling, whichever is lower.

LEBT AD 3.17 AIR TRAFFIC SERVICES COMMUNICATION FACILITIES

Service	Call sign	FREQ	HR	Remarks
APP	Valencia APP	120.100 MHz 124.750 MHz	HR HLP HR HLP	-
TWR	Bétera TWR	126.750 MHz 129.375 MHz 121.500 MHz 243.000 MHz 339.200 MHz	HR HLP HR HLP HR HLP HR HLP HR HLP	EMERG EMERG

LEBT AD 3.18 RADIO NAVIGATION AND LANDING AIDS

Facility (VAR)	ID	FREQ	HR	Coordinates	ELEV DME	Remarks
NDB (1°E)	EBT	362KHz	H24	393731.9N 0002819.4W	-	U/S BTN 339°-349°

LEBT AD 3.19 LOCAL HELIPORT REGULATIONS


No.

LEBT AD 3.20 NOISE ABATEMENT PROCEDURES

No.

LEBT AD 3.21 FLIGHT PROCEDURES

HLP TRAFFIC CIRCUIT



LEBT AD 3.22 ADDITIONAL INFORMATION

No.

LEBT AD 3.23 CHARTS RELATED TO A HELIPORT <-

The list of charts related to the heliport can be found on the link below:

<https://aip.enaire.es/AIP/#LEBT>

LEBT AD 3.24 VISUAL SEGMENT SURFACE (VSS) PENETRATION

Information not available.