


CARTA DE APROXIMACIÓN
VISUAL / VAC - OACI

ELEV AD
2630 ft
VAR 2°E (2025)

AFIS 122.200

ANDORRA-LA SEU D'URGELL
LESU



MAGNETIC VARIATION, HEADINGS:

CHANGES:

NOTES

(1) Flight plan submission mandatory zone during AFIS HR.

ARRIVALS

VFR traffic with destination Andorra-La Seu d’Urgell shall communicate with the AFIS unit and notify its intentions before reaching the reporting points N (Camping de la Farga de Moles), E-1 (Torres d’Alàs) or S-1 (Els Hostalets de Tost), avoiding overflying urban areas and joining the aerodrome traffic circuit.

DEPARTURES

VFR traffic wishing to exit the FIZ REDUCIDA shall notify its intentions to the AFIS unit.

COMMUNICATIONS FAILURE

Aircraft experiencing communications failure during arrival shall enter the FIZ via reporting point E-1 (Torres d’Alàs) at 500 ft AGL and shall remain to the East of the runway, in sight of the tower, awaiting light signals.

They can contact La Seu Information on TEL: +34-973 355 926.

REMARKS

- PAPI (MEHT):
 - RWY 03 (2): 3.05° (25 ft) (3)
 - RWY 03: 4.4° (29 ft) (4)
 - RWY 21: 2.99° (32 ft) (3) (5)
- (2) Possible unexpected information on PAPI RWY 03 during restricted use hours, 10 minutes before the activation of public use hours.
- (3) To notify incidents or request a higher intensity, contact the AFIS Unit at Andorra-La Seu d’Urgell AD, 122.200 MHz, TEL: +34-973 355 926.
- (4) Exclusive use of PAPI 4.4° for instrument RNP approach. Single approach. When the extended FIZ is activated without instrument operations, PAPI 3.05° will be activated.
- (5) Only usable between 2 NM and the threshold.
 - Observe the windsock to define the runway in service.
 - Avoid overflying the settlement whenever possible.
 - Caution: Possible paragliding activity to the South of the field and model flying (Club Sedis) to the North-East.
 - Caution: Wind shear on final.
 - Caution: Bird risk on the surroundings of the airport, especially on short final RWY 21.
 - Radio required to operate at the AD.
 - Frequencies:

Service	Call Sign	FREQ	HR	Remarks
AFIS	La Seu Information	122.205 C	H24 (6)	-
AFIS	La Seu Information	131.605 C	HR ATS (7)	BACK-UP
AFIS	La Seu Information	121.500 MHz	HR ATS	EMERG

(6) Outside ATS operation hours, this frequency shall be used for A/A communications.

(7) Outside ATS operation hours, this frequency shall be used for G/A communications.

– For information, the geographical coordinates of VFR reporting points are included:

N: 422540N 0012747E (SLL R-331 / 62 NM).

E-1: 422128N 0013139E (SLL R-332 / 57 NM).

S-1: 421640N 0012137E (SLL R-323 / 57 NM).